Page: 1 / 7



## MATERIAL SAFETY DATA SHEET

## According to Regulation ST/SG/AC.10/30/UN GHS, Latest revision

52424804

Revision: 28/01/2019 Printing date: 28/01/2019

## 01 Identification of the substance/mixture and of the company/undertaking

- 1. Product identifier
- Trade name: 9124053 ENCENS
- 2. Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation Aromatic ingredient(s). Industrial use only.
- 3. Details of the supplier of the safety data sheet
- Manufacturer/Supplier: **CHARABOT**

10 av. Yves Emmanuel BAUDOIN BP22070 06131 GRASSE CEDEX FRANCE

Tel: +33 (0)4 93 09 33 33 (8h-18h)

Fax: +33 (0)4 93 09 33 01 reach@charabot.fr

4. Further information obtainable from:

#### 02 Hazards identification

1. Classification of the substance or mixture



GHS07

Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

H401 Toxic to aquatic life.

- · Additional information:
  - Full text of H statements: see section 16
- 2. Label elements
- GHS label elements
- · Hazard pictograms





GHS07

GHS09

- Signal word Warning
- Hazard-determining components of labelling: ISO E SUPER (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8 -naphthalenyl) ethanone)(OTNE) / BOISAMBRENE FORTE (Formaldehyde cyclododecyl ethyl acetal) / Linalyl acetate
- · Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

(continued on page 2)





# According to Regulation ST/SG/AC.10/30/UN GHS, Latest revision

52424804

Revision: 28/01/2019 Printing date: 28/01/2019

(continued of page 1)

## PRODUCT: 9124053 ENCENS

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

D	racterization	
<ul> <li>Dangerous co CAS Number</li> </ul>	omponents:	0/
54464-57-2	ISO E SUPER (1-(1,2,3,4,5,6,7,8-Octahydro-2, 3,8,8 -naphthalenyl)ethanone)(OTNE) EC number: 915-730-3	% 5,00- 10,00
	Record number 01-2119489989-04-XXXX Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317; Aquatic Chronic 1 - H410; H401	
1222-05-5	GALAXOLIDE (1,3,4,6,7,8-Hexahydro-4,6,6,7,8, 8-hexa methylcyclopenta-gamma-2-benzopyran) EC number: 214-946-9 Aquatic Acute 1 - H400, Aquatic	1,00- 5,00
106185-75-5	Chronic 1 - H410; H316 éthyl-4-(2,2,3-triméthyl-3-cyclopentène-1- yl)-2- butène-1-ol	1,00- 5,00
	EC number: 70112-2-3 Record number 01-2119529224-45-XXXX Eye Irrit. 2A - H319; Aquatic	
58567-11-6	Chronic 2 - H411; H401 BOISAMBRENE FORTE (Formaldehyde cyclododecyl ethyl acetal) EC number: 261-332-1 Record number 01-2119971571-34-XXXX Skin Irrit. 2 - H315, Skin Sens. 1B -	1,00- 5,00
	H317; Aquatic Chronic 2 - H411; H401	
115-95-7	Linalyl acetate EC number: 204-116-4 Record number 01-2119454789-19-XXXX Skin Irrit. 2 - H315, Eye Irrit. 2A -	1,00- 5,00
78-70-6	H319, Skin Sens. 1B - H317; H227 Linalool EC number: 201-134-4 Record number 01-2119474016-42-XXXX Skin Irrit. 2 - H315, Eye Irrit. 2A -	0,10- 1,00
469-61-4	H319, Skin Sens. 1B - H317; H227, Acute Tox. 5 - H303, H402 alpha-Cedrene (super R50) (M factor 10) EC number: 207-418-4	0,10- 1,00
	Asp. Tox. 1 - H304; Aquatic  Acute 1 - H400, Aquatic Chronic 1 - H410;	
77-53-2	H316 Cedrol	0,10- 1,00
77-53-2	H316	0,10- 1,00



Page: 3 / 7

# According to Regulation ST/SG/AC.10/30/UN GHS, Latest revision

52424804

Revision: 28/01/2019 Printing date: 28/01/2019

PRODUCT:	9124053 ENCENS	
		(continued of page 2)
23787-90-8	Isolongifolanone (isolongifolene ketone)	0,10- 1,00
	EC number: 245-890-3	
	Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317; Acute Tox. 5 - H303; Aquatic	
	Chronic 2 - H411; H401	
546-28-1	beta cedrene (super R50) (M factor 10)	0,01- 0,10
	Asp. Tox. 1 - H304; Aquatic	
	Acute 1 - H400, Aquatic Chronic 1 - H410	

## 04 First aid measures

1. General information:

Seek immediate medical advice.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water.

After swallowing:

If symptoms persist consult doctor.

- 2. Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 05 Firefighting measures

- 1. Suitable extinguishing agents:
  - CO2, sand, extinguishing powder first. In the absence of any other means of extinguishing, water can be used as an extinguishing agent.
- For safety reasons unsuitable extinguishing agents: Non applicable
- Special hazards arising from the substance or mixture No further relevant information available.
- 3. Advice for firefighters No specific advice

#### 06 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 2. Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
   Dispose contaminated material as waste according to item 13.
- 4. Reference to other sections See Section 13 for disposal information.

Page: 4 / 7



#### MATERIAL SAFETY DATA SHEET

## According to Regulation ST/SG/AC.10/30/UN GHS, Latest revision

52424804

Revision: 28/01/2019 Printing date: 28/01/2019

**PRODUCT:** 9124053 ENCENS

#### 07 Handling and storage

(continued of page 3)

- 1. Handling:
- · Precautions for safe handling
  - Avoid contact with skin and eyes Wear appropriate protective equipments (gloves, glasses ...)
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- 2. Storage:
- Requirements to be met by storerooms and receptacles:
- Avoid exposure to extreme temperatures. Avoid prolonged contact with certain plastic materials (PVC..)
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

## 08 Exposure controls/personal protection

- Ingredients with limit values that require monitoring at the workplace:
- · Additional information:
  - The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures:
- Avoid contact with the eyes and skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient
- ventilation. Protection of hands: Only use chemical-protective gloves with CE-labelling of category III.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses
- · Body protection: Protective work clothing

General Information		
Appearance:		
Form:	Fluid	
Odour:	Characteristic	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	> 35 °C	
Flash point:	>= 100 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	



Page: 5 / 7

# According to Regulation ST/SG/AC.10/30/UN GHS, Latest revision

52424804

Revision: 28/01/2019 Printing date: 28/01/2019

PRODUCT: 9124053 ENCENS	
	(continued of page 4)
Specific gravity	0,9960 - 1,0160 (20°C)
Solubility in / Miscibility with	
water:	Not determined.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Additional information	Not applicable.

## 10 Stability and reactivity

1. Reactivity

No further relevant information available.

2. Chemical stability

Good stability at conditions of use mentionned in point 7 and 10

- 3. Possibility of hazardous reactions Reacts with strong oxidising agents.
- 4. Conditions to avoid

Avoid temperatures near the flash point (see Section 9). Avoid contact with oxidizing agents.

5. Incompatible materials:

No further relevant information available.

6. Hazardous decomposition products:

No dangerous decomposition products known.

#### 11 Toxicological information

1. Information on toxicological effects

This preparation has not been subjected to toxicological testing as such, but it is composed of substances with an established toxicological bibliography. Substances taken into account in determining the toxicological effects of this preparation are listed in Section 3.

## 12 Ecological information

Toxicity

This preparation has not been subjected to ecotoxicological testing as such, but it is composed of substances with an established ecotoxicological bibliography. Substances taken into account in determining the ecotoxicological effects of this preparation are listed in Section 3.

## 13 Disposal considerations

- 1. Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

SRB

(continued on page 6)



## According to Regulation ST/SG/AC.10/30/UN GHS, Latest revision

52424804

Revision: 28/01/2019 Printing date: 28/01/2019

**PRODUCT:** 9124053 ENCENS

(continued of page 5)

#### 14 Transport information

• UN-Number

**ADR** UN3082 **IMDG** UN3082 IATA UN3082

• UN proper shipping name

**ADR** 

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO

E SUPER (OTNE))

**IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E

SUPER (OTNE))

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E

SUPER (OTNE))

· Transport hazard class(es)

ADR

9 (M6) Miscellaneous dangerous substances and articles. Class

Label





**IMDG** 

Class 9 Miscellaneous dangerous substances and articles.

Label





IATA

Class 9 Miscellaneous dangerous substances and articles.

Label





· Packing group

**ADR** Ш **IMDG** Ш IATA Ш • Environmental hazards:

Marine pollutant:

• Special precautions for user Warning: Miscellaneous dangerous substances and articles. **Danger code (Kemler):** 90

EMS Number: F-A,S-F

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

• Transport/Additional information: Excepted quantities (EQ): F1

Limited quantities (LQ) 5L Transport category 3

**IMDG** 

5L Limited quantities (LQ)

(continued on page 7)





# According to Regulation ST/SG/AC.10/30/UN GHS, Latest revision

52424804

Revision: 28/01/2019 Printing date: 28/01/2019

PRODUCT: 9124053 ENCENS

Excepted quantities (EQ)

F1

(continued of page 6)

UN "Model Regulation":
 UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER (OTNE)), 9, III

## 15 Regulatory information

- 1. National regulations:
- Waterhazard class:
   Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Chemical safety assessment:A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### 1. Relevant phrases

H227	Combustible liquid.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### 2. Department issuing MSDS:

Legislation / Regulatory Affair Department

## 3. Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

#### 4. Sources

IFRA/IOFI Labelling Manual

\* Data compared to the previous version altered.